

New Journals from the Resource Centre for September 2011

The Resource Centre is open to the public Monday to Friday 9 am to 5 pm.

Books, videos and DVDs are available for loan.

Reference materials and journals are not available for loan, but can be photocopied free of charge.

For a complete listing of items in our collection, as well as an extensive list of online materials in over 70 languages, please consult our online Resource Centre Catalogue at http://www.alzheimertoronto.org/lib_onlineCatalogue.htm.

NEW JOURNAL ISSUES AVAILABLE

The following journal issues have been published.

Please indicate which articles you would like to view and I will email/fax them to you as appropriate.

Please provide Journal title, issue number, pages & title for each article required.

Requested by: _____

Email: _____

Fax: _____

Phone: _____

For more information please contact:

Marg Cameron

Information Resources Coordinator

~~~~~

**Alzheimer Society of Toronto**

20 Eglinton Avenue West,

16<sup>th</sup> floor, Toronto, Ontario M4R 1K8

416-640-6320

[mcameron@alzheimertoronto.org](mailto:mcameron@alzheimertoronto.org)



## Alzheimer Disease and Associated Disorders

Vol. 25 no 3. July/September 2011

Abstracts available online at <http://journals.lww.com/alzheimerjournal/pages/currenttoc.aspx>

|         |                                                                                                                                                                                      |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 187-195 | Diversity and Disparity in Dementia: The Impact of Ethnoracial Differences in Alzheimer Disease                                                                                      |
| 196-202 | Geographic Distribution of Dementia Mortality: Elevated Mortality Rates for Black and White Americans by Place of Birth                                                              |
| 203-205 | Early Onset Dementia: Characteristics in a Large Cohort From Academic Memory Clinics                                                                                                 |
| 206-212 | PF-04494700, an Oral Inhibitor of Receptor for Advanced Glycation End Products (RAGE), in Alzheimer Disease                                                                          |
| 213-219 | The Efficacy of Nonpharmacological Treatment for Dementia-related Apathy                                                                                                             |
| 220-224 | Dementia=(MC)2: A 4-item Screening Test for Mild Cognitive Impairment and Dementia                                                                                                   |
| 225-229 | Functional Impairment in the Diagnosis of Mild Cognitive Impairment                                                                                                                  |
| 230-241 | The Neuroanatomical Substrate of Lexical-Semantic Decline in MCI APOE $\epsilon$ 4 Carriers and Noncarriers                                                                          |
| 242-249 | Cortical Thinning in Verbal, Visual, and Both Memory-predominant Mild Cognitive Impairment                                                                                           |
| 250-261 | Differential Impact of ApoE $\epsilon$ 4 on Cortical Activation During Famous Face Recognition in Cognitively Intact Individuals and Patients With Amnesic Mild Cognitive Impairment |
| 262-268 | Emotional Memory Deficit and its Psychophysiological Correlate in Family Caregivers of Patients With Dementia                                                                        |
| 269-275 | Prognostic Factors for Weight Loss Over 1-year Period in Patients Recently Diagnosed With Mild Alzheimer Disease                                                                     |
| 276-282 | Microcephaly Genes and Risk of Late-onset Alzheimer Disease                                                                                                                          |
| 283-285 | Association Study of the GAB2 Gene With the Risk of Alzheimer Disease in the Chinese Population                                                                                      |

## Alzheimer's & Dementia: The Journal of the Alzheimer's Association

Vol. 7 no 5. September 2011

Abstracts available online at <http://www.alzheimersanddementia.org/current>

|         |                                                                                                                                                        |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 493-500 | Magnetic resonance imaging-measured atrophy and its relationship to cognitive functioning in vascular dementia and Alzheimer's disease patients        |
| 501-508 | Cognitive, biochemical, and imaging profile of patients suffering from idiopathic normal pressure hydrocephalus                                        |
| 509-513 | Frequency of Alzheimer's disease pathology at autopsy in patients with clinical normal pressure hydrocephalus                                          |
| 514-520 | Impact of apolipoprotein $\epsilon$ 4–cerebrospinal fluid beta-amyloid interaction on hippocampal volume loss over 1 year in mild cognitive impairment |
| 521-531 | Anesthesia in presymptomatic Alzheimer's disease: A study using the triple-transgenic mouse model                                                      |
| 532-539 | Neuropsychiatric symptoms in Alzheimer's disease                                                                                                       |
| 540-550 | Dementia and Alzheimer's disease: A new direction. The 2010 Jay L. Foster Memorial Lecture                                                             |

## Dementia and Geriatric Cognitive Disorders

Vol. 32 no 1. September 2011

Abstracts available online at

<http://content.karger.com/ProdukteDB/produkte.asp?Aktion=JournalHome&ProduktNr=224226>

|       |                                                                                                                                                                              |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1-10  | A Multicenter Brain Perfusion SPECT Study Evaluating Idiopathic Normal-Pressure Hydrocephalus on Neurological Improvement                                                    |
| 11-17 | Decision-Making in Frontotemporal Dementia: Clinical, Theoretical and Legal Implications                                                                                     |
| 18-25 | A Review of Transcranial Magnetic Stimulation in the in vivo Functional Evaluation of Central Cholinergic Circuits in Dementia                                               |
| 26-31 | Paraoxonase 1 Gene Polymorphisms Do Not Influence the Response to Treatment in Alzheimer's Disease                                                                           |
| 32-38 | Subtypes of Dementia: A Study from a Memory Clinic in India                                                                                                                  |
| 39-44 | Evaluating the Quality of Life of People with Dementia in Residential Care Facilities                                                                                        |
| 45-54 | Clinical Course of Patients with Familial Early-Onset Alzheimer's Disease Potentially Lacking Senile Plaques Bearing the E693 $\Delta$ Mutation in Amyloid Precursor Protein |
| 55-62 | A Blood-Based Algorithm for the Detection of Alzheimer's Disease                                                                                                             |
| 63-69 | Influence of Variation in the Follicle-Stimulating Hormone Receptor Gene (FSHR) and Age at Menopause on the Development of Alzheimer's Disease in Women                      |
| 70-78 | Decrease of GABAergic Markers and Arc Protein Expression in the Frontal Cortex by Intraventricular 192 IgG-Saporin                                                           |

## JAD: Journal of Alzheimer's Disease

Vol. 26 no 2. 2011

Abstracts available online at <http://www.j-alz.com/issues/26/vol26-2.html>

|         |                                                                                                                                                                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-205 | TNF and Leptin Tell Essentially the Same Story in Alzheimer's Disease                                                                                                                                                                           |
| 207-210 | Hippocampal Volume Differences Between Healthy Young Apolipoprotein E $\epsilon$ 2 and $\epsilon$ 4 Carriers                                                                                                                                    |
| 211-220 | Cessation versus Continuation of Galantamine Treatment after 12 Months of Therapy in Patients with Alzheimer's Disease: A Randomized, Double Blind, Placebo Controlled Withdrawal Trial                                                         |
| 221-229 | Screening for Alzheimer's Disease Among Illiterate Elderly: Accuracy Analysis for Multiple Instruments                                                                                                                                          |
| 231-237 | Use of Antiepileptic Drugs Among Community-Dwelling Persons with Alzheimer's Disease in Finland                                                                                                                                                 |
| 239-253 | The Impact of a Novel Apolipoprotein E and Amyloid- $\beta$ Protein Precursor-Interacting Protein on the Production of Amyloid- $\beta$                                                                                                         |
| 255-262 | Long-Term Stability of Alzheimer's Disease Biomarker Proteins in Cerebrospinal Fluid                                                                                                                                                            |
| 263-298 | Tryptamine-Induced Tryptophanyl-tRNA <sup>trp</sup> Deficiency in Neurodifferentiation and Neurodegeneration Interplay: Progenitor Activation with Neurite Growth Terminated in Alzheimer's Disease Neuronal Vesicularization and Fragmentation |
| 299-313 | Long-Term Overexpression of Heme Oxygenase 1 Promotes Tau Aggregation in Mouse Brain by Inducing Tau Phosphorylation                                                                                                                            |
| 315-329 | JNK Plays a Key Role in Tau Hyperphosphorylation in Alzheimer's Disease Models                                                                                                                                                                  |
| 331-346 | Resting State Cortical Electroencephalographic Rhythms and White Matter Vascular Lesions in Subjects with Alzheimer's Disease: An Italian Multicenter Study                                                                                     |
| 347-354 | Swallowing Intentional Off-State in Aging and Alzheimer's Disease: Preliminary Study                                                                                                                                                            |
| 355-364 | Potentiation of Tau Aggregation by cdk5 and GSK3 $\beta$                                                                                                                                                                                        |
| 365-375 | Meta-Analysis of Plasma Amyloid- $\beta$ levels in Alzheimer's Disease                                                                                                                                                                          |
| 377-385 | <i>APOE</i> and <i>A<math>\beta</math>PP</i> Gene Variation in Cortical and Cerebrovascular Amyloid- $\beta$ Pathology and Alzheimer's Disease: A Population-Based Analysis                                                                     |
| 387-408 | The Cysteine Protease Inhibitor, E64d, Reduces Brain Amyloid- $\beta$ and Improves Memory Deficits in Alzheimer's Disease Animal Models by Inhibiting Cathepsin B, but not BACE1, $\beta$ -Secretase Activity                                   |

## JAD: Journal of Alzheimer's Disease

Vol. 26 no 1. 2011

Abstracts available online at <http://www.j-alz.com/issues/26/vol26-1.html>

|         |                                                                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1-5     | Uncertain Progress on the Fuzzy Boundaries of Alzheimer's Disease: Reading Between the Guidelines                                                          |
| 7-18    | Vitamin C Restores Behavioral Deficits and Amyloid- $\beta$ Oligomerization without Affecting Plaque Formation in a Mouse Model of Alzheimer's Disease     |
| 19-26   | A Novel <i>MAPT</i> Mutation Associated with the Clinical Phenotype of Progressive Nonfluent Aphasia                                                       |
| 27-38   | Depression History, Depressive Symptoms, and Incident Dementia: The 3C Study                                                                               |
| 39-45   | Stem Cell Factor Plasma Levels are Decreased in Alzheimer's Disease Patients with Fast Cognitive Decline after One-Year Follow-Up Period: The Pythia-Study |
| 47-58   | Possible Retrogenesis Observed with Fiber Tracking: An Anteroposterior Pattern of White Matter Disintegrity in Normal Aging and Alzheimer's Disease        |
| 59-68   | Peripheral Oxidative Stress Biomarkers in Mild Cognitive Impairment and Alzheimer's Disease                                                                |
| 69-80   | The Role of CNI-1493 in the Function of Primary Microglia with respect to Amyloid- $\beta$                                                                 |
| 81-104  | Selenium and Alzheimer's Disease: A Meta-Analysis                                                                                                          |
| 105-126 | Which Memory Task for My Mouse? A Systematic Review of Spatial Memory Performance in the Tg2576 Alzheimer's mouse model                                    |
| 127-134 | Interaction Between Vascular Factors and the APOE E4 Allele in Predicting Rate of Progression in Alzheimer's Disease                                       |
| 135-142 | Amyloid- $\beta$ 42 is Associated with Cognitive Impairment in Healthy Elderly and Subjective Cognitive Impairment                                         |
| 143-155 | Cholinesterase Inhibitors Improve both Memory and Complex Learning in Aged Beagle Dogs                                                                     |
| 157-169 | Face Short-Term Memory-Related Electroencephalographic Patterns can Differentiate Multi- versus Single-Domain Amnesic Mild Cognitive Impairment            |
| 171-179 | Autoantibodies Against Amyloid and Glial-Derived Antigens are Increased in Serum and Cerebrospinal Fluid of Lewy Body-Associated Dementias                 |
| 181-186 | CSF Tau Levels Influence Cortical Plasticity in Alzheimer's Disease Patients                                                                               |
| 187-197 | Sodium Butyrate Improves Memory Function in an Alzheimer's Disease Mouse Model When Administered at an Advanced Stage of Disease Progression               |

## Journal of Geriatric Psychiatry and Neurology

Vol. 24 #3 September 2011

Abstracts available online at <http://jgp.sagepub.com/content/current>

|         |                                                                                                                                                                |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 123-126 | Pittsburgh Compound B-Negative Dementia—A Possibility of Misdiagnosis of Patients With Non-Alzheimer Disease-Type Dementia as Having AD                        |
| 127-134 | Cerebral Metabolism, Cognition, and Functional Abilities in Alzheimer Disease                                                                                  |
| 135-141 | Increasing Depressive Symptoms in Children of Alzheimer Parents                                                                                                |
| 142-150 | The Impact of Depression on Dual Tasking Among Patients With High Fall Risk                                                                                    |
| 151-160 | Midlife Motivational Abilities Predict Apathy and Depression in Alzheimer Disease: The Aging, Demographics, and Memory Study                                   |
| 161-167 | Anemia Associated With Depressive Symptoms in Mild Cognitive Impairment With Severe White Matter Hyperintensities                                              |
| 168-173 | The IQCODE Versus a Single-Item Informant Measure to Discriminate Between Cognitively Intact Individuals and Individuals With Dementia or Cognitive Impairment |